

International Multidisciplinary  
Research Journal

*Indian Streams  
Research Journal*

Executive Editor  
Ashok Yakkaldevi

Editor-in-Chief  
H.N.Jagtap

---

## Welcome to ISRJ

RNI MAHMUL/2011/38595

ISSN No.2230-7850

Indian Streams Research Journal is a multidisciplinary research journal, published monthly in English, Hindi & Marathi Language. All research papers submitted to the journal will be double - blind peer reviewed referred by members of the editorial board. Readers will include investigator in universities, research institutes government and industry with research interest in the general subjects.

### International Advisory Board

Flávio de São Pedro Filho  
Federal University of Rondonia, Brazil

Kamani Perera  
Regional Center For Strategic Studies, Sri Lanka

Janaki Sinnasamy  
Librarian, University of Malaya

Romona Mihaila  
Spiru Haret University, Romania

Delia Serbescu  
Spiru Haret University, Bucharest, Romania

Anurag Misra  
DBS College, Kanpur

Titus PopPhD, Partium Christian  
University, Oradea, Romania

Mohammad Hailat  
Dept. of Mathematical Sciences,  
University of South Carolina Aiken

Abdullah Sabbagh  
Engineering Studies, Sydney

Ecaterina Patrascu  
Spiru Haret University, Bucharest

Loredana Bosca  
Spiru Haret University, Romania

Fabricio Moraes de Almeida  
Federal University of Rondonia, Brazil

George - Calin SERITAN  
Faculty of Philosophy and Socio-Political  
Sciences Al. I. Cuza University, Iasi

Hasan Baktrir  
English Language and Literature  
Department, Kayseri

Ghayoor Abbas Chotana  
Dept of Chemistry, Lahore University of  
Management Sciences[PK]

Anna Maria Constantinovici  
AL. I. Cuza University, Romania

Ilie Pinteau,  
Spiru Haret University, Romania

Xiaohua Yang  
PhD, USA

.....More

### Editorial Board

Pratap Vyamktrao Naikwade  
ASP College Devrukh, Ratnagiri, MS India Ex - VC. Solapur University, Solapur

R. R. Patil  
Head Geology Department Solapur  
University, Solapur

Rama Bhosale  
Prin. and Jt. Director Higher Education,  
Panvel

Salve R. N.  
Department of Sociology, Shivaji  
University, Kolhapur

Govind P. Shinde  
Bharati Vidyapeeth School of Distance  
Education Center, Navi Mumbai

Chakane Sanjay Dnyaneshwar  
Arts, Science & Commerce College,  
Indapur, Pune

Awadhesh Kumar Shirotriya  
Secretary, Play India Play, Meerut (U.P.)

Iresh Swami  
Ex - VC. Solapur University, Solapur

N.S. Dhaygude  
Ex. Prin. Dayanand College, Solapur

Narendra Kadu  
Jt. Director Higher Education, Pune

K. M. Bhandarkar  
Praful Patel College of Education, Gondia

Sonal Singh  
Vikram University, Ujjain

G. P. Patankar  
S. D. M. Degree College, Honavar, Karnataka

Maj. S. Bakhtiar Choudhary  
Director, Hyderabad AP India.

S. Parvathi Devi  
Ph.D.-University of Allahabad

Sonal Singh,  
Vikram University, Ujjain

Rajendra Shendge  
Director, B.C.U.D. Solapur University,  
Solapur

R. R. Yallickar  
Director Management Institute, Solapur

Umesh Rajderkar  
Head Humanities & Social Science  
YCMOU, Nashik

S. R. Pandya  
Head Education Dept. Mumbai University,  
Mumbai

Alka Darshan Shrivastava  
Shaskiya Snatkottar Mahavidyalaya, Dhar

Rahul Shriram Sudke  
Devi Ahilya Vishwavidyalaya, Indore

S.KANNAN  
Annamalai University, TN

Satish Kumar Kalhotra  
Maulana Azad National Urdu University

A CRITICAL REIEW ON STRESS IN MEDICAL EDUCATION IN INDIA



Devindrappa Mahadevappa

Research Scholar Dept of Sociology Gulbarga University, Gulbarga.

Short Profile

Devindrappa Mahadevappa is Research Scholar at Department of Sociology Gulbarga University in Gulbarga.

Co - Author Details :

S. L Hiremath

Professor & Chairman Dept of Sociology Gulbarga University Gulbarga.



**ABSTRACT:**

Much has been written about stress in medical education. This review reports the causes and period of stress, gender issues, coping strategies, stress management techniques and their effects. It also highlights the fact that, stress may not be unique or specific to the medical profession. Perhaps it is hyped because, we expect a medical student not to be affected by stress or capable of handling it. Another important factor for consideration is that, since stress is reported world over, it should be dealt as a global issue, with its prevention, identification and management made an integral part of the medical curriculum.

**KEYWORDS**

*Critical Reiew , Medical Education , stress management , coping strategies.*

Article Indexed in :

DOAJ  
BASE

Google Scholar  
EBSCO

DRJI  
Open J-Gate

## INTRODUCTION :

The pursuit of higher education is expected to be stressful. In this review, an attempt is made to look into the relationship of stress and medical education. Many studies have shown that, stress levels of medical students are genuinely high. It has been reported that, between 35-50% of first year students had a higher than usual threshold score on the GHQ (Miller, 1994). Also, as compared to the general population, medical students have more distress, anxiety and depression (Lloyd & Gartrell, 1984).

## STRESS SPECIFIC FOR MEDICAL STUDENTS:

All students have academic pressures, but not much is written about other students while there is a great deal of scientific literature on medical school stress. Some studies related to students in the fields of dentistry, law, nursing, occupational therapy, management and social work has been published (Alexander, 2001; Archer & Peters, 1986; Lim et al., 2009; Kumar & Jejurkar, 2005; Agrawal & Chahar, 2007; Dziegielewski et al., 2004). In a study comparing medical, law and graduate students of McGill University, it was found that medical students were not untowardly stressed but the transition of basic to clinical training was associated with stress (Helmets et al., 1997).

In fact the authors suggest that, medical students have a better relaxation potential with a capacity for healthy diversion from routine. In addition, they have lower achievement ethic and enjoy their accomplishment of being accepted in to a medical school.

They do not aspire for new achievements and these causes are responsible for comparatively less stress in medical students. Therefore although stress during student life is universal, irrespective of the course pursued, the cause of stress may be different.

## CAUSES OF STRESS IN MEDICAL EDUCATION:

Academic reasons and emotional factors are greater during the first year while reasons related to patient care and physical factors are more important in subsequent years. Long working hours, lack of peer support, competitive environment, rigid authoritative non encouraging faculty, an imbalance between professional and personal lives, lack of recreational activities, staying away from home, financial problems, residency queries, an uncertain future, emergency situations, speedy decisions, life and death issues, cultural and minority issues, mismatch between capability and expectation are some reasons of stress (Wolf, 1994; Supe, 1998).

Stress is a matter of perception, because not all are equally affected. The personality of medical students suggests that, they are highly motivated, action oriented achievers, securing high grades prior to admission. They cannot tolerate feelings of helplessness, dependency and are therefore more prone to stress or incapable of handling it. They also seem to have low self esteem, harsh self criticism, emotional instability, dependency, passivity, and self doubt, a feeling of inferiority but high aspirations and rigid standards for themselves (Bramness et al., 1991; Rodolfa et al., 1995).

In a 5 year prospective study, students were evaluated in the first year and then in the 4<sup>th</sup> and 5<sup>th</sup> year. It was established that, those student that were distressed in the beginning were likely to remain so throughout the trainingn period (Guthrie et al., 1998). However, it has also been suggested that, stress in transitory, more during examinations and the students generally affected are those with a fault in their learning methods. Since the curriculum lays a greater emphasis on memory, some students find

this difficult and may develop an attitude of self criticism or perfectionism. Those then with perceived mistreatment or personality deficit might be the ones unable to survive the stressful period (Wolf, 1994).

However, it has also been suggested that, stress in transitory, more during examinations and the students generally affected are those with a fault in their learning methods. Since the curriculum lays a greater emphasis on memory, some students find this difficult and may develop an attitude of self criticism or perfectionism. Those then with perceived mistreatment or personality deficit might be the ones unable to survive the stressful period (Wolf, 1994).

### GENDER DIFFERENCES IN STRESS- CAUSES AND PERCEPTION:

Studies indicate that, female medical students perceive more stress. Symptoms of depression and anxiety, interpersonal sensitivity, somatisation and neuroticism were more in women (Lloyd & Gartrell, 1984; Amr et al., 2008). This may be due to a dual role that they play in society, pregnancy, stress due to loneliness, disruption of interpersonal needs and lack of interaction. However, other reports have found no sexual differences in stress perception (Forster-Williams et al., 1996)

### IDENTIFYING THE STRESSFUL PERIOD:

As expected, the first year is found to be more stressful. The reasons include academic pressure, unfamiliarity in a new environment and unrealistic expectations (Miller, 1994). Other reports have however suggested that the 2<sup>nd</sup> and 3<sup>rd</sup> year (Supe, 1998; Mosley, 1994) or even the penultimate year is stressful (Forster-Williams et al., 1996). Also, perceived social support was found to be more during the 2<sup>nd</sup> year compared to the 1<sup>st</sup> year and surprisingly the psychological morbidity of the first year and fourth year has been found to be similar (Supe, 1998; Guthrie et al., 1998). Contrary to all these studies there are reports to suggest that stress is not related to any particular year (Lloyd & Gartrell, 1984).

### STRESS AMONG MEDICAL STUDENTS ACROSS THE WORLD:

Reports from different parts of the globe have shown medical education to be stressful. An Indian study reported high neurotic traits in female medical students who had symptoms M relating to obsession, hysteria, floating and phobic anxiety (Bhatia et al., 1995). The Columbia experience states that on average, 10-15% students seek consultation and 1/3 need therapy to deal with conflicts in their personal life. These students have characteristics that suggest either an adjustment or personality disorder and committees like AIMS (Aid for Impaired Medical Students) help to deal with their problems (Lerner, 1995). A study in Thailand showed stress in 61.4% students, mostly in the third year, with examinations being the most important cause (Saipanish, 2003).

A comparison of different stressors in America and the West Indies on the other hand showed that apart from others, an atmosphere created by clinical professors and attending physicians, financial pressure, inadequacies of housing, were higher in the West Indies. This is expected and can be related to the resources available in a developing country (Forster-Williams et al., 1996). Similar studies related to stress in medical education have also been carried out in Saudi Arabia, Australia, Iran, Egypt, Pakistan and Nepal (Abdulghani, 2008; Amr et al., 2008; Bineshian et al., 2009; Mouret, 2002; Sheikh et al., 2004; Sreeramareddy et al., 2007)

Students studying in a foreign country have problems related to adjustment in the country. These include a new cultural environment, accommodation, finance, communication, disruption of social support and along with all this, adjustment with the medical school environment. Stress is more during the first year, while adjustment was better in younger students with a positive attitude, along with support from well being committees, and correlated with their adjustment to a foreign country (Schreier & Abramovitch, 1996).

### CONSEQUENCES OF STRESS:

Suicide and psychiatric illness lie on one end of the spectrum. The other end is a change in lifestyle. The lifestyle changes reviewed showed a decrease in sleep, leisure and recreational activities (Wolf, 1994). The incidence of alcohol and drug consumption increases (Schreier & Abramovitch, 1996; Rathbun, 1995). The personality of an individual can change and a decrease in human feelings or interpersonal sensitivity, aloofness with a shift to a hedonistic personality results (Wolf, 1994). The students have increased irritability, frustration, a low esteem, become cynical, disappointed, unapproachable and develop conflict with faculty and intimate relationships (Rodolfa et al., 1995).

Among psychiatric illnesses, depression and anxiety are quite common. The neurotic traits of hysteria and obsession are also seen. Anxiety may lead to cognitive inefficiencies such as indecisiveness, memory impairment and excessive sensitivity to the opinion of others. (Lloyd & Gartrell, 1984; Bhatia et al., 1995). In one American study it was reported suicidal ideation was seen in 11.2% students and it had a strong relationship with personal distress or burnout reported in 49.6% of students (Dyrbye et al., 2008).

### COPING STRATEGIES:

The coping style of a medical student may vary. Emotional based coping involves accepting responsibility and self blame. This type of coping is seen more in the first year of medical school while in later years the trend is in favor of cognitive, confrontive and planful problem solving. More years in medical college perhaps gives confidence to students. They do not blame themselves, but become more cynical and aggressive. Stress is more in students who use dominant coping strategies such as positive reappraisal and planned problem solving. It is less in those who accept responsibility and least in those who escape and distance from difficult situations. It is also found that, students with engagement strategy of coping are able to modify situations, resulting in a mode adaptive outcome. They have less symptoms of depression (Wolf, 1994; Supe, 1998; Stern et al., 1993). Favorable results are thus available by encouraging use of engagement strategies and modifying the type of disengagement strategies (Mosley et al., 1994).

### STRESS MANAGEMENT:

The aim should be to make the students aware of stress and its management. It is suggested that, each institute should have its own orientation programme and counseling services (Rodolfa et al., 1995). The work should begin from entry to a medical college. A psychiatrist or psychologist in the interview board, to screen the entrants at the time of admission is likely to help. In a survey of US and Canadian medical schools, 78% schools had a member of psychiatry faculty in the admission committee.

Legislation may vary in different parts of the world, but perhaps those who need more help can be identified earlier (Willer et al., 1984).

Various methods have been adopted in different institutions for stress management. These include primary preventive measures such as psycho educational lectures, seminars on stress management, and therapeutic techniques like crisis intervention and counseling (Rathbun, 1995). Since recovery from 'burnout' is associated with a decrease in suicidal ideation, it is important to identify signs and symptoms of this 'burnout', find potential factors which decrease and finally treat it (Dyrbye, 2008).

In a study at Rammayya Medical College in India, a 'shidori' system of stress management has been described. This incorporated many co-curricular activities that deal with topics like group dynamics, bedside manners, communication, coping skills, rational drug prescription, rational diagnostic use, time management and assertive behaviour. Stress reducing factors like role of friends, Gymkhana, hobbies and teacher's behaviour have also been evaluated (Supe, 1998). A lot can be achieved if students increase their social interaction both inside and outside the campus. A good relationship with seniors and faculty members, support from friends (buddy programmes), family and perhaps religious groups can help (Mouret, 2002). All these group activities reduce stress and improve coping.

### SUMMARY AND CONCLUSION:

Stress in a medical school is a global phenomenon. It remains to be evaluated whether it is actually more in medical students when compared to students pursuing other degrees but with a similar financial background and personality. Nevertheless it may be useful for all medical schools to carry out screening and management programmes as part of their curriculum. It is time to make medical education interesting, restore enthusiasm in the students and to project a more realistic, humane image of the profession. This would decrease the amount of stress and its consequences. It is imperative that future physicians are healthy themselves before they treat others.

### REFERENCE:

- 1) Agrawal, R.K. & Chahar, S.S. (2007) Examining role stress among technical students in India, *Social Psychology of Education*, 10, pp.77-91.
- 2) Young, S.N. (1997) Stress and depressed mood in medical students, law students and graduate students at Mc Gill University, *Academic Medicine*, 72, 8, pp.708-714.
- 3) Alexander, R.E. (2001) Stress related suicide by dentist and other healthcare workers. Fact or folklore, *Journal of the American Dental Association*, 132, pp.786-794.
- 4) Kumar, S. & Jejurkar, K. (2005) Study of stress level in occupational therapy students during their academic curriculum, *The Indian Journal of occupational therapy*, xxxvii, 1, pp. 11-14.
- 5) Amr, M., EL Gilany, A.H. & EL-Hawary, A. (2008) Does gender predict medical students stress in Mansura, Egypt? *Medical Education Online*, 13:12, available at
- 6) <http://www.med.ed-online.org>. Lerner, B.A. (1995) Students' use of psychiatric services, the Columbia experience, *Journal of American Medical Association*, 274, 17, pp.1398-1399.
- 7) Archer Jr, J. & Peters, M.M. (1986) Law student stress, *NASPA Journal*, 23, 4, pp. 48-55. Bhatia, M.S., Garg, K., Chandra, S. & Malik, S.C.
- 8) (1992) Neurotic symptoms in first year medical students, *Annals of the National Academy of Medical*

- Sciences (India), 28, 1 & 2, pp. 49-52. Bineshian, F., Saberian, M., Haji Aghajani, S.,Ghorbani, R., Fredonian, M., Bineshian, D. &
- 9) Bineshian, M. (2009) Study of stress level among medical school students of Semnan University, Iran, European psychiatry, 24(S1), S-1238 (abstract).
- 10) Kumar, S. & Jejurkar, K. (2005) Study of stress level in occupational therapy students during their academic curriculum, The Indian Journal of occupational therapy, xxxvii, 1, pp. 11-14.



# Publish Research Article

## International Level Multidisciplinary Research Journal For All Subjects

Dear Sir/Mam,

We invite unpublished Research Paper, Summary of Research Project, Theses, Books and Book Review for publication, you will be pleased to know that our journals are

### Associated and Indexed, India

- ★ International Scientific Journal Consortium
- ★ OPEN J-GATE

### Associated and Indexed, USA

- Google Scholar
- EBSCO
- DOAJ
- Index Copernicus
- Publication Index
- Academic Journal Database
- Contemporary Research Index
- Academic Paper Database
- Digital Journals Database
- Current Index to Scholarly Journals
- Elite Scientific Journal Archive
- Directory Of Academic Resources
- Scholar Journal Index
- Recent Science Index
- Scientific Resources Database
- Directory Of Research Journal Indexing

Indian Streams Research Journal  
258/34 Raviwar Peth Solapur-413005, Maharashtra  
Contact-9595359435  
E-Mail-ayisrj@yahoo.in/ayisrj2011@gmail.com  
Website : www.isrj.org